

A firefighter in full gear, including a helmet and reflective stripes, is using a hydraulic rescue tool (cutting shears) on a vehicle. The tool is positioned to cut through a metal beam. The firefighter's hands are protected by heavy-duty brown leather gloves. The background shows the interior of a vehicle with various components and wires.

WEBERRESCUE
SYSTEMS

LET'S CREATE FUTURE >

**ORIGINAL EQUIPMENT
MANUFACTURER**

Hydraulic and pneumatic
rescue systems and accessories

SETS IN DETAIL

Light standard bronze	5
Light standard silver	6
Light standard gold	6
Light battery bronze	7
Light battery silver	7
Light battery gold	8
Light hand driven bronze	9
Light hand driven silver	9
Medium standard bronze	10
Medium standard silver	11
Medium standard gold	12
Medium battery bronze	13
Medium battery silver	14
Medium battery gold	15
Heavy standard bronze	16
Heavy standard silver	17
Heavy standard gold	18
Heavy battery bronze	19
Heavy battery silver	20
Heavy battery gold	21
Accessory light bronze	22
Accessory light silver	23
Accessory light gold	23
Accessory medium bronze.....	23
Accessory medium silver.....	24
Accessory medium gold	25
Accessory heavy bronze	26
Accessory heavy silver	27
Accessory heavy gold	28

PRODUCTS

Spreader	31
Cutters	34
Combi tools	38
Rescue ram.....	42
Power units	49
Assessories	51



LET'S CREATE FUTURE >



EASIER VEHICLE EQUIPPING THANKS TO OPTIMIZED EQUIPMENT SETS

New vehicle technologies and constantly optimized safety systems in vehicles are improving the protection of occupants, but are presenting rescue forces with new challenges. We respond to this trend with innovative and powerful rescue systems that are constantly being improved. For more than 40 years, WEBER RESCUE Systems has stood for tried and tested solutions in the field of accident rescue worldwide and offers the right rescue equipment for almost every operational scenario. An extensive range of accessories as well as our online shop with many gadgets, tools and fan articles complete the spectrum.

To make it easier to equip emergency vehicles with equipment and accessories, we have put together sets that are optimized for use. All devices correspond to the valid standards. The CAD data of the respective products can be provided if required.

LIGHT SET

Basic equipment

Content: combi unit, aggregate, hose

Application: advance vehicle, rapid deployment

MEDIUM SET

Medium weight equipment for car accidents

Content: cutter, spreader, rescue ram, power unit

Application: technical rescue

HEAVY SET

Heavy equipment Set for truck, bus, train

Content: cutter, spreader, rescue ram, power unit

Application: demanding technical rescue

ACCESSORY SET

Useful additional equipment

All Sets are available in different configurations:



Bronze



Silver



Gold



Standard



Battery



Handdriven



LIGHT STANDARD BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1093263	Combi tool	SPS 270 MK2	9,7 kg	649 x 192 x 152
5934753	Power unit	V 400 S ECO	17,4 kg	382 x 290 x 406
2847647	Accessories	Twin hoses 5 m, yellow, SINGLE	4,3 kg	-
Total weight 41,4 kg				

LIGHT STANDARD SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1096646	Combi tool	SPS 360 MK2	14,2 kg	765 x 236 x 158
1056478	Rescue ram	RZM 740	4,3 kg	308 x 68 x 68
5934753	Power unit	V 400 S ECO	17,4 kg	382 x 290 x 406
1052606	Accessories	COAX hose 5 m, yellow	5,5 kg	-
Total weight: 41,4 kg				

LIGHT STANDARD GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1096646	Combi tool	SPS 360 MK2	14,2 kg	765 x 236 x 158
1056478	Rescue ram	RZM 740	4,3 kg	308 x 68 x 68
5936853	Power unit	V 400 S ECO	17,5 kg	382 x 290 x 406
1052606	Accessories	COAX hose 5 m, yellow	5,5 kg	-
2819139	Accessories	Chain Adapter	13,8 kg	-
2835746	Accessories	Pulling device 2 pcs.	2,11 kg	59 x 47 x 239
Total weight: 57,31				


LIGHT BATTERY BRONZE



Part no.	Product category	Description	Weight	Dimensions (mm)
1093515	Combi tool	SPS 270 MK2 EF3	12,6 kg	811 x 192 x 241
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 2 pcs.	2 x 1,0 kg	132 x 84 x 82
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1058128	Accessories	Transport bag E-FORCE	1,8 kg	960 x 220 x 270

Total weight: 17,2 kg

LIGHT BATTERY SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1096647	Combi tool	SPS 360 MK2 EF3	17,1 kg	927 x 236 x 241
1056478	Rescue ram	RZM 740	6,8 kg	308 x 68 x 68
2819139	Accessories	Chain Adapter	13,8 kg	-
2835746	Accessories	Pulling device	5,5 kg	59 x 47 x 239
1058128	Accessories	Transport bag E-FORCE	1,8 kg	960 x 220 x 270
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 2 pcs.	2 x 1,0 kg	132 x 84 x 82

Total weight: 47,8 kg

LIGHT BATTERY GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1096649	Combi tool	SPS 360 MK2 EF3	18,2 kg	933 x 236 x 241
1075272	Rescue ram	RZ 1-910 EF2	14,7 kg	540 x 134 x 325
2819139	Accessories	Chain Adapter	13,8 kg	-
2836033	Accessories	Pulling device 2 pcs.	1,3 kg	139 x 37 x 63,3
1096859	Accessories	Door opening tips (2 pcs.)	0,94 kg	115 x 89,5 x 61
1060423	Accessories	On-vehicle charger	1,0 kg	200 x 130 x 110
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 2 pcs.	2 x 1,0 kg	132 x 84 x 82

Total weight: 56,74



LIGHT HAND DRIVEN BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1084065	Combi tool	SPS 270 H	9,8 kg	682 x 192 x 161
1056478	Rescue ram	RZM 740	6,8 kg	308 x 68 x 68
Total weight: 16,6 kg				

LIGHT HAND DRIVEN SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1084065	Combi tool	SPS 270 H	9,8 kg	682 x 192 x 161
1056478	Rescue ram	RZM 740	6,8 kg	308 x 68 x 68
571407	Accessories	Chain Adapter	7,8 kg	-
2096617	Accessories	Pulling device 2 pcs.	1,4 kg	-
Total weight: 25,8 kg				

MEDIUM STANDARD BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
5933633	Spreader	SP 49	19,9 kg	791 x 248 x 199
1059226	Cutter	RSX 180	17,6 kg	740 x 232 x 206
5933803	Rescue ram	RZ 1-850	11,5 kg	530 x 190 x 79
3838579	Rescue ram	Extension for rescue ram, lenght 250 mm	2,55 kg	71,5 x 71,5 x 250
1081842	Power unit	V 40 S	31,8 kg	444 x 362 x 471
2847647	Accessories	Twin hoses yellow 5 m, SINGLE	4,3 kg	-
2847639	Accessories	Twin hoses red 5 m, SINGLE	4,3 kg	-
Total weight: 91,95 kg				

MEDIUM STANDARD SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1093667	Spreader	SP 44 AS	13,4 kg	715 x 239 x 176
1093226	Cutter	RSX 160	14,5 kg	718 x 236 x 158
3864588	Rescue ram	Extension for rescue ram, lenght 250 mm	3,5 kg	89 x 89 x 336
5931401	Rescue ram	RZT 2-775	11,4 kg	395 x 200 x 88
1060793	Power unit	V ECO Compact	23,7 kg	462 x 324 x 441
2819139	Accessories	Chain Adapter	13,8 kg	-
1052606	Accessories	COAX hose, 5 m yellow	5,5 kg	-
1052605	Accessories	COAX hose, 5 m red	3,3 kg	-
Total weight: 89,10 kg				

MEDIUM STANDARD GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1089800	Spreader	SP 54 AS	16,8 kg	821 x 282 x 200
1093906	Cutter	S 50	4,2 kg	362 x 138 x 71
1093279	Cutter	RSU 180 PLUS	16,7 kg	737 x 236 x 159
5931401	Rescue ram	RZT 2-775	11,3 kg	395 x 200 x 88
1050041	Rescue ram	RZT 2-1500	17,8 kg	650 x 200 x 88
1060793	Power unit	V ECO Compact	23,7 kg	462 x 324 x 441
571415	Accessories	Chain Adapter	13,8 kg	-
1052603	Accessories	COAX hose 10 m, yellow	5,5 kg	-
1052606	Accessories	COAX hose 10 m, red	5,5 kg	-

Total weight: 115,3 kg

MEDIUM BATTERY BRONZE



Part no.	Product category	Description	Weight	Dimensions (mm)
1093703	Spreader	SP 44 AS EF3	16,3 kg	877 x 239 x 241
1093508	Cutter	RSX 160 EF3	17,5 kg	682 x 192 x 161
1075272	Rescue ram	RZM 910 EF2	14,7 kg	540 x 134 x 325
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 2 pcs.	2 x 1,0 kg	132 x 84 x 82
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1060423	Accessories	On-vehicle charger 12/24 V	1,0 kg	200 x 130 x 110
Total weight: 52,30 kg				

MEDIUM BATTERY SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1091736	Spreader	SP 54 AS EF3	19,7 kg	982 x 282 x 241
1093512	Cutter	RSU 180 PLUS EF3	19,6 kg	898 x 236 x 241
1088997	Rescue ram	RZT 2-1170 EF2	19,4 kg	540 x 134 x 357
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 6 pcs.	6 x 1,0 kg	132 x 84 x 82
571415	Accessories	Chain Adapter	13,8 kg	-
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1060423	Accessories	On-vehicle charger 12/24 V	1,0 kg	200 x 130 x 110
1060422	Accessories	Permanent operation 230 V	4,0 kg	-

Total weight: 84,30 kg

MEDIUM BATTERY GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1091736	Spreader	SP 54 AS EF3	19,7 kg	982 x 282 x 241
1093512	Cutter	RSU 180 PLUS EF3	19,6 kg	898 x 236 x 241
1075272	Rescue ram	RZ 1-910 EF2	14,7 kg	540 x 134 x 325
1081519	Rescue ram	RZT 2-1500 EF2	20,4 kg	700 x 134 349
571415	Accessories	Chain Adapter	13,8 kg	-
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 8 pcs.	8 x 1,0 kg	132 x 84 x 82
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1060423	Accessories	On-vehicle charger 12/24 V	1,0 kg	200 x 130 x 110
1060422	Accessories	Permanent operations 230 V	4,0 kg	-
1084725	Accessories	Insert blade in pocket for RSU 180 PLUS	1,1 kg	-
Total weight				

HEAVY STANDARD BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1090581	Spreader	SP 50 BS	17,0 kg	854 x 282 x 200
1093279	Cutter	RSU 180 PLUS	16,7 kg	737 x 236 x 159
1093906	Cutter	S 50	4,2 kg	362 x 138 x 71
5931401	Rescue ram	RZT 2-775	11,3 kg	395 x 200 x 88
1050041	Rescue ram	RZT 2-1500	17,8 kg	650 x 200 x 88
1077052	Rescue ram	RZ 1-1810	13,5 kg	990 x 179 x 70
1060793	Power unit	V ECO Compact	23,7 kg	462 x 324 x 441
1069440	Accessories	DPH 4018 S	10,2 kg	729 x 200 x 183
1052606	Accessories	COAX hose 10 m, red	5,5 kg	-
1052603	Accessories	COAX hose 10 m, yellow	5,5 kg	-
1084725	Accessories	Insert blade in pocket RSU 180 PLUS	1,1 kg	-
571415	Accessories	Chain Adapter	13,8 kg	-

Total weight: 140,3 kg

HEAVY STANDARD SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1090581	Spreader	SP 50 BS	17.0 kg	854 x 282 x 200
1093298	Cutter	RSU 210 PLUS	19,6 kg	833 x 260 x 221
1093906	Cutter	S 50	4,2 kg	362 x 138 x 71
1096650	Combi tool	SPS 400 MK2	17,2 kg	807 x 236 x 161
5936934	Rescue ram	RZT 2-600	9,1 kg	300 x 295 x 88
5931401	Rescue ram	RZT 2-775	11,3 kg	395 x 200 x 88
5932025	Rescue ram	RZT 2-1500 XL	20,7 kg	650 x 221 x 109
1077052	Rescue ram	RZ 1-1810	13,5 kg	990 x 179 x 70
1078719	Power unit	V 70 SAH 20	75,9 kg	820 x 440 x 500
1069440	Accessories	DPH 4018 S	10,2 kg	729 x 200 x 183
1052605	Accessories	COAX hose 5 m, red	3,31 kg	-
571415	Accessories	Chain Adapter	13,8 kg	-
1096859	Accessories	Door opening tips 2 pcs.	0,94 kg	115 x 89,5 x 61
1084725	Accessories	Insert blade in pocket RSU 210 PLUS	1,1 kg	-
3864588	Accessories	Extension for rescue rams, lenght 250 mm	3,5 kg	-
Total weight: 221,35 kg				

HEAVY STANDARD GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1093902	Spreader	SP 64 BS	20,0 kg	879 x 307 x 210
1093298	Cutter	RSU 210 PLUS	19,6 kg	833 x 260 x 221
1093906	Cutter	S 50	4,2 kg	362 x 138 x 71
1096650	Combi tool	SPS 400 MK2	17,2 kg	807 x 236 x 161
5936934	Rescue ram	RZT 2-600	9,1 kg	300 x 295 x 88
5931401	Rescue ram	RZT 2-775	11,3 kg	395 x 200 x 88
5933803	Rescue ram	RZ 1-850	11,5 kg	530 x 190 x 79
5934133	Rescue ram	RZT 3-1310 XL	20,7 kg	480 x 109 x 221
5932025	Rescue ram	RZT 2-1500 XL	20,7 kg	650 x 221 x 109
1077052	Rescue ram	RZ 1-1810	13,5 kg	990 x 179 x 70
1058332	Power unit	V70 SAH 20 COAX	76,5 kg	820 x 440 x 500
1081828	Power unit	Akkupac Eco	10,2 kg	335 x 250 x 315
1069440	Accessories	DPH 4018 S	10,2 kg	729 x 200 x 183
1052605	Accessories	COAX hose 5 m, red	3,31 kg	-
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 3 pcs.	3 x 1,0 kg	132 x 84 x 82
1096859	Accessories	Door opening tips 2 pcs.	0,94 kg	115 x 89,5 x 61
1060423	Accessories	On-vehicle charger 12/24 V	1,0 kg	200 x 130 x 110
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
1095147	Accessories	Chain Adapter	14,54 kg	-

Total weight: 268,29 kg

HEAVY BATTERY BRONZE



Part no.	Product category	Description	Weight	Dimensions (mm)
1091736	Spreader	SP 54 AS EF3	20,7 kg	982 x 282 x 241
1093512	Cutter	RSU 180 PLUS EF3	20,6 kg	898 x 236 x 241
1093377	Combi tool	RIT-Tool EF3	13,3 kg	773 x 192 x 241
1075272	Rescue ram	RZ 1-910 EF2	15,7 kg	540 x 134 x 325
1081519	Rescue ram	RZT 2-1500 EF2	21,4 kg	700 x 134 x 349
3838579	Rescue ram	Extension for rescue rams, length 250 mm	2,55 kg	71,5 x 71,5 x 250
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 8 pcs.	8 x 1,0 kg	132 x 84 x 82
1060423	Accessories	On-vehicle charger 12/24 V 2 pcs.	2 x 1,0 kg	200 x 130 x 110
1060422	Accessories	Permanent operations 230 V 2 pcs.	2 x 4,0 kg	-
1096859	Accessories	Door opening tips 2 pcs.	0,94 kg	115 x 89,5 x 61
3867323	Accessories	Spreader tip 2 pcs.	0,75 kg	116 x 44 x 64
1084725	Accessories	Insert blade in pocket RSU 180 PLUS	1,1 kg	-
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
2819139	Accessories	Chain Adapter	13,8 kg	-
2836033	Accessories	Pulling device 2 pcs.	1,3 kg	139 x 37 x 63,3
Total weight: 130,94 kg				

HEAVY BATTERY SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1091735	Spreader	SP 50 BS EF3	19,9 kg	1015 x 282 x 241
1093512	Cutter	RSU 180 PLUS EF3	19,6 kg	898 x 236 x 241
1096649	Combi tool	SPS 370 MK3 EF	18,2 kg	933 x 236 x 241
1075272	Rescue ram	RZ 1-910 EF2	14,7 kg	540 x 134 x 325
1088997	Rescue ram	RZT 1170 EF2	19,4 kg	540 x 134 x 357
1081519	Rescue ram	RZT 2-1500 EF2	20,4 kg	700 x 134 349
3838579	Accessories	Extension for rescue ram, lenght 250 mm	2,55 kg	71,5 x 71,5 x 250
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 8 pcs.	8 x 1,0 kg	132 x 84 x 82
1060423	Accessories	On-vehicle charger 12/24 V 2 pcs.	2 x 1,0 kg	200 x 130 x 110
1060422	Accessories	Permanent operations 230 V 2 pcs.	2 x 4,0 kg	-
1096859	Accessories	Doop opener tip 2 pcs.	0,94 kg	115 x 89,5 x 61
1084725	Accessories	Insert blade in pocket for RSU 180 PLUS 2 pcs.	2 x 1,1 kg	-
1054097	Accessories	Power supply 230 V	0,8 kg	200 x 155 x 90
2819139	Accessories	Chain Adapter for SPS 370 MK2	13,8 kg	-
571415	Accessories	Chain Adapter for SP 50 BS	13,8 kg	-
2836033	Accessories	Pulling device for RIT-Tool 10 pcs.	10 x 1,3 kg	-

Total weight: 174,59 kg

HEAVY BATTERY GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1091735	Spreader	SP 50 BS EF3	19,9 kg	1015 x 282 x 241
1093514	Cutter	RSU 210 PLUS EF3	22,5 kg	994 x 260 x 241
1096649	Combi tool	SPS 370 MK2 EF3	18,2 kg	933 x 236 x 241
1075272	Rescue ram	RZ 1-910 EF2	14,7 kg	540 x 134 x 325
1088997	Rescue ram	RZT2-1170 EF2	19,4 kg	540 x 134 x 357
1078342	Rescue ram	RZT 2-1360 EF2	19,1 kg	586 x 134 x 349
1081519	Rescue ram	RZT 2-1500 EF2	20,4 kg	700 x 134 349
1075189	Accessories	Spare battery 28 V 0,5 Ah MILWAUKEE 8 pcs.	8 x 1,0 kg	132 x 84 x 82
1060423	Accessories	On-vehicle charger 12/24 V 2 pcs.	2 x 1,0 kg	200 x 130 x 110
571415	Accessories	Chain Adapter for SP 50 BS	13,8 kg	-
2819139	Accessories	Chain Adapter for SPS 370 MK2	13,8 kg	-
1060422	Accessories	Permanent operations 230 V	4,0 kg	-
2836033	Accessories	Pulling device	1,3 kg	-
1096859	Accessories	Door opening tips 2 pcs.	0,94 kg	115 x 89,5 x 61
1084725	Accessories	Insert blade in pocket for RSU 210 PLUS	1,1 kg	-
3838579	Accessories	Extension for rescue ram, lenght 250 mm	2,55 kg	71,5 x 71,5 x 250
1054097	Accessories	Power supply 230 V 2 pcs.	2 x 0,8 kg	200 x 155 x 90

Total weight: 183,29 kg

ACCESSORY LIGHT BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1089461	Accessories	Halligan-Tool 770 mm with Hebelklaue	4,5 kg	770 x 145 x 164
8114161	Accessories	GLAS-EX and center punch	1,5 kg	350 x 290 x 30
Total weight 6,0 kg				

ACCESSORY LIGHT SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
8114161	Accessories	GLAS-EX and center punch	1,5 kg	350 x 290 x 30
8137676	Accessories	STAB-FIX Set BASIC	20,5 kg	600 x 400 x 140
Total weight: 22 kg				

ACCESSORY LIGHT GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
8114161	Accessories	GLAS-EX and center punch	1,5 kg	350 x 290 x 30
8137676	Accessories	STAB-FIX Set BASIC	20,5 kg	600 x 400 x 140
8137455	Accessories	Protective pad Set	5,9 kg	770 x 500 x 90

Total weight: 27,9 kg

ACCESSORY MEDIUM BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1078419	Accessories	STAB-FAST ALU Basic	19,0 kg	1100 x 300 x 120
1052771	Accessories	STAB-FAST Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
8137455	Accessories	Protective pad Set	5,9 kg	770 x 500 x 90
1089461	Accessories	Halligan-Tool 770 mm leverage claw	4,5 kg	770 x 145 x 164
1080917	Accessories	Glass management Set	5,6 kg	600 x 400 x 132
8136360	Accessories	Protection shields (2 pcs.)	2,5 kg	550 x 350 x 6

Total weight: 75,5 kg

ACCESSORY MEDIUM SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1078419	Accessories	STAB-FAST ALU Basic	19,0 kg	1100 x 300 x 120
1052771	Accessories	STAB-PACK Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
8137455	Accessories	Protective pad Set	5,90 kg	770 x 500 x 90
1080917	Accessories	Glass management Set	5,6 kg	600 x 400 x 132
1079078	Accessories	PAT-SAFE patient protection pad	1,5 kg	1600 x 2000
8136360	Accessories	Protection shields (2 pcs.)	2,5 kg	550 x 350 x 80
Total weight: 72,5 kg				

ACCESSORY MEDIUM GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1078419	Accessories	STAB-FAST ALU Basic	19,0 kg	1100 x 300 x 120
1052771	Accessories	STAB-PACK Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
8137455	Accessories	Protective pad Set	5,9 kg	770 x 500 x 90
1080917	Accessories	Glass management Set	5,6 kg	600 x 400 x 132
1083470	Accessories	Airbag protection driver (Set, 2 pcs.)	1,8 kg	400 x 300 x 132
1089461	Accessories	Halligan-Tool 770 mm leverage claw	4,5 kg	770 x 145 x 164
1079078	Accessories	PAT-SAFE patient protection pad	1,5 kg	1600 x 2000
8136360	Accessories	Protection shields	2,5 kg	550 x 350 x 6
Total weight: 78,8 kg				

ACCESSORY HEAVY BRONCE



Part no.	Product category	Description	Weight	Dimensions (mm)
1080917	Accessories	Glass management Set	5,6 kg	600 x 400 x 132
1083470	Accessories	Airbag protection driver (Set, 2 pcs.)	1,8 kg	400 x 300 x 132
8136360	Accessories	Protection shields Set	2,5 kg	550 x 350 x 6
8135517	Accessories	Protective pad Set	7,8 kg	500 x 700 x 95
1089461	Accessories	Halligan-Tool 770 mm leverage claw	4,5 kg	770 x 145 x 164
1079078	Accessories	PAT-SAFE patient protection pad	1,5 kg	1600 x 2000
1052771	Accessories	STAB-PACK Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
1078418	Accessories	STAB-FAST ALU	33,0 kg	1100 x 300 x 120
8137676	Accessories	STAB-FIX Set BASIC	20,5 kg	600 x 400 x 140
Total weight: 115,20 kg				

ACCESSORY HEAVY SILVER



Part no.	Product category	Description	Weight	Dimensions (mm)
1080917	Accessories	Glasmangement	5,6 kg	600 x 400 x 132
1095126	Accessories	GLAS-EX TURBO Turbo	0,9 kg	220 x 60 x 50
1083470	Accessories	Airbag protection driver (Set, 2 pcs.)	1,8 kg	400 x 300 x 132
1083471	Accessories	Airbag protection passenger	4,0 kg	400 x 300 x 132
8136360	Accessories	Protection shields Set (2 pcs.)	2,5 kg	550 x 350 x 6
8135517	Accessories	Protective pad Set	7,8 kg	500 x 700 x 95
1079078	Accessories	PAT-SAFE patient protection pad	1,5 kg	1600 x 2000
1089642	Accessories	Halligan-Tool 770 with metal cutting claw	4,5 kg	770 x 145 x 164
1052771	Accessories	STAB-PACK Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
1052770	Accessories	STAB-LOCK Set in Eurobox	30,5 kg	600 x 400 x 320
1078419	Accessories	STAB-FAST ALU Basic	19,0 kg	1100 x 300 x 120
1078420	Accessories	STAB-FAST ALU XL	30,0 kg	1600 x 500 x 180

Total weight: 146,10 kg

ACCESSORY HEAVY GOLD



Part no.	Product category	Description	Weight	Dimensions (mm)
1080917	Accessories	Glass management Set	5,6 kg	600 x 400 x 132
1095126	Accessories	GLAS-EX TURBO	0,9 kg	220 x 60 x 50
1083470	Accessories	Airbag protection driver (Set, 2 pcs.)	1,8 kg	400 x 300 x 132
1083471	Accessories	Airbag protection passenger	4,0 kg	400 x 300 x 132
8046204	Accessories	Airbag protection truck	0,75 kg	400 x 300 x 132
8136360	Accessories	Protection shields Set	2,5 kg	550 x 350 x 6
1083472	Accessories	Truck cage safety system	8,0 kg	600 x 400 x 132
8135517	Accessories	Protective pad Set with Plane	7,8 kg	500 x 700 x 95
1078945	Accessories	Protective pad Set Upgrade	8,6 kg	500 x 700 x 95
1079078	Accessories	PAT-SAFE patient protection pad	1,5 kg	1600 x 2000
1089642	Accessories	Halligan-Tool 770 mm with with metal cutting claw	4,5 kg	770 x 145 x 164
1081981	Accessories	Breaking Tool Set	8,3 kg	930 x 220 x 160
1052770	Accessories	STAB-LOCK Set in Eurobox	30,5 kg	600 x 400 x 320
1052771	Accessories	STAB-PACK Set (4 pcs.) in Eurobox	38,0 kg	600 x 400 x 320
1078418	Accessories	STAB-FAST ALU	33,0 kg	1100 x 300 x 120
1078420	Accessories	STAB-FAST ALU XL	30,0 kg	1600 x 500 x 180
8139342	Accessories	STAB-FIX 4 Kant Set 100	28,4 kg	300 x 300 x 450
Total weight: 214,15 kg				

DEVICE HOLDERS



WEBER RESCUE DEVICE HOLDERS FOR THE SECURE LOADING OF HYDRAULIC RESCUE TOOLS IN THE VEHICLE

- Individually adapted to the respective device series, for perfect hold
- All brackets are available for horizontal or vertical mounting in the vehicle
- Additional securing via an easy-to-open tension strap
- Two-part plastic mounts for flexible and durable attachment
- Extremely lightweight at approx. 1.5 kg per mount



SPREADERS

Spreaders from the new range for biggest challenges

- detachable tips with integrated peeling function
- tips with interior and exterior spikes for extra grip
- spreader arms made of high-strength aluminium
- unique surface hardened areas on the spreader arms increases the working range
- wrap-round handle for easy handling and fast work
- all control elements are designed in high visibility and distinctive in red
- available as battery tools or hose tools
- with point for connection for conversion to E-FORCE3 battery tool or hose tool
- battery tools with new, efficient drive for higher speed
- battery not included

SP 50 BS



- X-CHANGE
- PEELING
- PUSH CONTROL
- SINGLE
- GRIP

Spreading width	805 mm
Spreading force (in the working area)	50 - 501 kN
Max. squeezing force	144 kN
Pulling width	680 mm
Max. pulling force	67 kN
EN class	BS50/805-17,0
Weight	17,0 kg
Part no.	1090581


SP 50 BS E-FORCE 3



- X-CHANGE
- PEELING
- SPEED CONTROL
- CHARGE
- GRIP

Spreading width	805 mm
Spreading force (in the working area)	50 - 501 kN
Max. squeezing force	144 kN
Pulling width	680 mm
Max. pulling force	67 kN
EN class	BS50/805-20,9
Weight (ready for use)	20,9 kg
Part no.	1091735

NEW SPREADER GENERATION



Wrap-round handle
for easier handling

Extremely lightweight
and slim design
for even better handling


LET'S CREATE FUTURE 



GRIP

Spreader tips
tips with interior and exterior spikes
for extra grip

SP 54 AS



X-CHANGE



PEELING



PUSH CONTROL




SINGLE



GRIP

Spreading width	735 mm
Spreading force (in the working area)	55 - 501 kN
Max. squeezing force	144 kN
Pulling width	620 mm
Max. pulling force	70 kN
EN class	AS55/735-16,8
Weight	16,8 kg
Part no.	1089800

SP 54 AS E-FORCE3



X-CHANGE



PEELING



SPEED CONTROL



CHARGE



GRIP

Spreading width	735 mm
Spreading force (in the working area)	55 - 501 kN
Max. squeezing force	144 kN
Pulling width	620 mm
Max. pulling force	70 kN
EN class	AS55/735-20,7
Weight (ready for use)	20,7 kg
Part no.	1091736

SP 44 AS



Spreader from the new range with completely new design

- lightweight and slim construction
- fulfills AS standard
- the plastic grip with optimised gripping surface also insulates the equipment operator up to 1.000 Volts
- with connection point for conversion to E-FORCE3 battery tool

X-CHANGE

PEELING

PUSH CONTROL

SINGLE

GRIP

360° HANDLE

Spreading width	610 mm
Spreading force (in the working area)	44 - 857 kN
Max. squeezing force	149,0 kN
Pulling width	465 mm
Max. pulling force	68 kN
EN class	AS44/610-13,4
Weight	13,4 kg
Part no.	1093667

SP 44 AS E-FORCE 3



Spreader from the new range with completely new design

- fulfills AS standard
- the plastic grip with optimised gripping surface also insulates the equipment operator up to 1,000 Volts
- with connection point for conversion to hose tool
- battery not included

E FORCE

X-CHANGE

PEELING

SPEED CONTROL

CHARGE

GRIP

360° HANDLE

Spreading width	610 mm
Spreading force (in the working area)	44 - 857 kN
Max. squeezing force	149,0 kN
Pulling width	465 mm
Max. pulling force	68 kN
EN class	AS44/610-17,3
Weight (ready for use)	17,3 kg
Part no.	1093703

SP 64 BS



BS-Spreader from the new range with completely new design

- wrap-round handle for easy handling and efficient work
- complies with BS class per EN13204

X-CHANGE

PEELING

PUSH CONTROL

SINGLE

GRIP

Spreading width	820 mm
Spreading force (in the working area)	64 - 680 kN
Max. squeezing force	129,0 kN
Pulling width	702 mm
Max. pulling force	74 kN
EN class	BS64/820-20,1
Weight	20,0 kg
Part no.	1093902

SP 49



Spreaders with low weight and large spreading travel for all applications

- removable tips with integrated peeling section
- spreader arms made of high-strength aluminium
- additional laser dispersion extends the working range from the tips to the arm



PEELING



PUSH CONTROL



SINGLE

Spreading width	710 mm
Spreading force (in the working area)	54-330 kN
Pulling width	604 mm
Max. pulling force	54 kN
EN Class	AS 49/650-20
Weight	19,9 kg
Part no.	5936363



CUTTERS

Modern rescue tools for cutting of modern vehicles

- blade shape suitable for toughest applications
- cutter blades with inserts made of high strength alloy
- lower maintenance cost (just change inserts instead of the complete blades)
- all control elements are designed in high visibility and distinctive in red
- available as battery tools or conventional rescue tools
- with connection point for conversion to E-FORCE3 battery tool or hose tools
- with new, more efficient drive for higher speed
- battery not included

RSU 180 PLUS



- X-CHANGE
- ULTIMATE
- PUSH CONTROL
- SINGLE
- PLUS
- FORGED
- 360° HANDLE

Opening	185 mm
EN class	BC185J-16,7
EN cutting class (EN 13204)	1J-2K-3K-4K-5K
NFPA class	A8-B9-C7-D9-E9-F4
Weight	16,7 kg
Part no.	1093279

RSU 180 PLUS E-FORCE3



- X-CHANGE
- ULTIMATE
- SPEED CONTROL
- CHARGE
- PLUS
- FORGED
- 360° HANDLE

Opening	185 mm
EN class	BC185J-20,6
EN cutting class (EN 13204)	1J-2K-3K-4K-5K
NFPA class	A8-B9-C7-D9-E9-F4
Weight (ready for use)	20,6 kg
Part no.	1093512


REPLACEABLE BLADE INSERTS



Blade inserts protect the blade, particularly well suited to cutting modern vehicles with high-strength materials

Save costs by only replacing the blade inserts

PLUS-blade inserts within 2 minutes they can be replaced easily, even on-scene during an incident



RSU 210 PLUS



- X-CHANGE
- ULTIMATE
- PUSH CONTROL
- SINGLE
- PLUS
- FORGED
- 360° HANDLE

Opening	210 mm
EN class	CC200K-19,6
EN cutting class (EN 13204)	1K-2K-3K-4K-5K
NFPA class	A8-B9-C8-D9-E9-F4
Weight	19,6 kg
Part no.	1093298

RSU 210 PLUS E-FORCE3



- X-CHANGE
- ULTIMATE
- SPEED CONTROL
- CHARGE
- PLUS
- FORGED
- 360° HANDLE

Opening	210 mm
EN class	CC200K-23,5
EN cutting class (EN 13204)	1K-2K-3K-4K-5K
NFPA class	A8-B9-C8-D9-E9-F4
Weight (ready for use)	23,5 kg
Part no.	1093514




RSX 160



Compact cutting device with Xtreme cutting technology

- for low-tension cutting due to massive overlapping of the blades
- pulls any material to the optimal cutting point
- easier working due to shorter blades
- with connection point for conversion to E-FORCE3 battery tool



X-CHANGE



XTREME



PUSH CONTROL



SINGLE



360° HANDLE



FORGED

Opening	160 mm
EN class (EN 13204)	BC160H-14,5
EN cutting class (EN 13204)	1I-2K-3H-4J-5H
NFPA class	A7-B8-C6-D7-E8
Weight	14,49 kg
Part no.	1093226


RSX 160 E-FORCE3



E FORCE 

Compact battery driven cutter with new, more efficient drive for higher speed

- for low-tension cutting due to massive overlapping of the blades
- pulls material to be cut to the point of force
- easier working due to shorter blades
- with connection point for conversion to hose tool
- battery not included



X-CHANGE



XTREME



SPEED CONTROL



CHARGE



360° HANDLE



FORGED

Opening	160 mm
EN class (EN 13204)	BC160H-18,5
EN cutting class (EN 13204)	1I-2K-3H-4J-5H
NFPA class	A7-B8-C6-D7-E8
Weight (ready for use)	18,5 kg
Part no.	1093508

S 50



Compact cutting device for low-tension cutting

- no uncontrolled movement when object being cut
- can be used in confined spaces, e.g. in the footwell of crashed vehicles
- extremely lightweight, single-handed operation possible



SINGLE



PUSH CONTROL



FORGED

Opening	50 mm
EN class	AC50B-4,2
EN cutting class (EN 13204)	1C-2D-3B
NFPA class	A4-B3-C2-D4-E3
Weight	4,2 kg
Part no.	1093906

RSX 180



SINGLE



XTREME



PUSH CONTROL



360° HANDLE

Cutter with Xtreme blade technology

- low-stress cut due to massive overlap of the shear blades
- draws material to be cut to the point of force
- knives can be resharpened from highly tempered tool steel with round material cutter

Opening	180 mm
EN cutting class (EN 13204)	1J-2K-3I-4J-5J
NFPA class	A7-B9-C7-D9-E9
Weight	17,6 kg
Part no.	1059226



COMBI TOOLS

All with one tool - cutting, spreading, pressing and pulling!

- combining tools means less space and weight
- trussed grid structure blades, re-sharpenable and with a notch for cutting round bars
- tips can be detached
- 360° red arcing and folding plastic grip insulates the equipment operator up to 1,000 Volts
- all control elements are designed in high visibility and distinctive in red
- can be combined with chain Set and mechanical rescue cylinders
- available as battery or conventional rescue tools
- with connection point for conversion to E-For CE3 battery tool or hose tools
- battery tools with new, more efficient drive for higher speed
- battery not included

SPS 270 MK2



- X-CHANGE
- FORGED
- PUSH CONTROL
- SINGLE
- 360° HANDLE
- ULTIMATE

Spreading width	270 mm
Spreading force (in the working area)	31 - 591 kN
Opening	221 mm
Pulling width (with adapter)	395 mm
Max. pulling force	36 kN
EN class (EN 13204)	BK31/270G-9,7
EN cutting class (EN 13204)	1H-2G-3G-4H-5G
NFPA class	A6-B7-C6-D7-E7-F3
Weight	9,7 kg
Part no.	1093263

Extremely lightweight combi tool

- trussed grid structure blades, re-sharpenable and with a notch for cutting round bars
- with connection point for conversion to E-FORCE3 battery tool

SPS 270 MK2 E-FORCE 3



E FORCE

- X-CHANGE
- FORGED
- SPEED CONTROL
- CHARGE
- 360° HANDLE
- ULTIMATE

Spreading width	270 mm
Spreading force (in the working area)	31 - 591 kN
Opening	221 mm
Pulling width (with adapter)	395 mm
Max. pulling force	36 kN
EN class (EN 13204)	BK31/270G-13,6
EN cutting class (EN 13204)	1H-2G-3G-4H-5G
NFPA class	A6-B7-C6-D7-E7-F3
Weight (ready for use)	13,6 kg
Part no.	1093515

Extremely lightweight combi tool

- with new, more efficient drive for higher speed
- trussed grid structure blades, re-sharpenable and with a notch for cutting round bars
- with connection point for conversion to hose tool
- battery not included



SPS 360 MK2



Versatile combi tool

- serrated blades bite firmly
- lightweight, yet strong spreading and cutting force
- with connection point for conversion to E-FORCE3 battery tool



Spreading width	360 mm
Spreading force (in the working area)	36 - 783 kN
Opening	285 mm
Pulling width (with adapter)	440 mm
Max. pulling force	53 kN
EN class (EN 13204)	CK36/360H-14,2
EN cutting class (EN 13204)	1I-2K-3J-4K-5J
NFPA class	A7-B8-C7-D9-E8-F5
Weight	14,2 kg
Part no.	1096646

SPS 360 MK2 E-FORCE 3



Versatile combi tool

- with new, more efficient drive for higher speed
- serrated blades bite firmly
- lightweight, yet strong spreading and cutting force
- with connection point for conversion to hose tool
- battery not included

E FORCE



Spreading width	360 mm
Spreading force (in the working area)	36 - 783 kN
Opening	285 mm
Pulling width (with adapter)	440 mm
Max. pulling force	53 kN
EN class (EN 13204)	CK36/360I-18,1
EN cutting class (EN 13204)	1I-2K-3J-4K-5J
NFPA class	A7-B8-C7-D9-E8-F5
Weight (ready for use)	18,1 kg
Part no.	1096647

SPS 400 MK2



- FORGED**
- PUSH CONTROL**
- SINGLE**
- 360° HANDLE**
- ULTIMATE**

Versatile combi tool with high cutting and spreading forces

- long life and better cutting performance due to forged and lightweight high strength blades
- serrated blades bite firmly
- removable tips

Spreading width	405 mm
Spreading force (in the working area)	35 - 1071 kN
Opening	343 mm
Pulling width (with adapter)	450 mm
Max. pulling force	58 kN
EN class (EN 13204)	CK35/405I-17,2
EN cutting class (EN 13204)	1I-2K-3J-4K-5J
NFPA class	A7-B9-C7-D9-E9-F6
Weight	17,2 kg
Part no.	1096650

SPS 370 MK2 E-FORCE 3



- X-CHANGE**
- FORGED**
- SPEED CONTROL**
- CHARGE**
- 360° HANDLE**
- ULTIMATE**

Versatile combi tool

- with new, more efficient drive for higher speed
- serrated blades bite firmly
- removable tips
- with connection point for conversion to hose tool
- battery not included

Spreading width	370 mm
Spreading force (in the working area)	35 - 783 kN
Opening	295 mm
Pulling width (with adapter)	405 mm
Max. pulling force	57 kN
EN class (EN 13204)*	CK35/370H-19,2
EN cutting class (EN 13204)*	1I-2J-3H-4J-5I
NFPA class	A7-B8-C7-D8-E8-F5
Weight (ready for use)	18,2 kg
Part no.	1096649

SPS 270 H HANDVARIO



- FORGED**
- ULTIMATE**

Manually operated combination device with integrated hydraulic drive

- space-saving and can be used anywhere
- low weight
- head section can be rotated 360° for optimum work

Spreading width	270 mm
Spreading force (in the working area)	26 - 534 kN
Opening	221 mm
Pulling width (with adapter)	380 mm
Max. pulling force	32 kN
EN class (EN 13204)*	K25G-M
EN cutting class (EN 13204)*	1H-2G-3G-4H-5G
NFPA class	A6-B7-C6-D7-E7
Weight (ready for use)	9,8 kg
Part no.	1084065

RIT-TOOL E-FORCE3

E FORCE



Fully-featured battery combi tool with replaceable tips depending on the application

- e.g. breaking doors and windows, cutting round steel and chains, lifting of loads, pulling obstacles, opening of vehicles (extrication)
- High strength and lightweight blades for optimum cutting performances
- Extra high cutting and spreading forces (cutting performance 1H-2H-3H-4H-5H)
- Pulling dapters enable the tool to pull by using a chain/hook
- Battery and tips need to be ordered seperately
- Free kit composition

 SPEED CONTROL

 FORGED

 360° HANDLE

 CHARGE

Spreading width	215 mm
DIN-Classification	C100-H-E-I
EN class	AC140H-13,3
EN cutting class (EN 13204)*	1H-2H-3H-4H-5H
NFPA class	A6-B7-C6-D7-E7-F3
Weight	13,3 kg
Part no.	1093377



RESCUE RAMS

Single-stage

- various accessories available, such as adapters and Chain Sets
- optimum length matching – overlapping length of the entire range of rams
- with movable head, which can still can be red ated under load

Telescopic rescue rams

- double-acting telescopic ram made of reliable high-quality steel or high-strength aluminium
- special multi-stage-construction allows extra extended and retracted length

All rescue rams from WEBER RESCUE SYSTEMS have the remaining length (DISTANCE) visible laser-etched on the piston rod. This early warning system enables you to decide right away whether the ram you are currently using is long enough for the job or whether a longer ram must be prepared and used. A real time improvement!

RZM 740



Mechanical rescue ram

- Standardized fitment compatible with all WEBER RESCUE Combi tools with removable tips
- captive bolts on the mounting arms for quick and easy attachment to the combination tool
- combines the functionality of a rescue ram with a Combi tool
- expands the range of applications thanks to the large opening width
- compact closed dimension of 320 mm

Closed length	308 mm
Extended length	740 mm
Weight	6,8 kg
Part no.	1056478



INTEGRATED REMAINING LENGTH MARKING

PATENT PENDING

III DISTANCE

Indicates the last 20 centimetres until full extension

Remaining length marks laser-etched every 5 cm (2 in) on the piston rod

Up to four circumferential rings depending on type of cylinder

Inch and Centimetre markings around piston rod



SINGLE-STAGE



Single-stage rescue ram for pushing and pulling

- length from 530 – 1640 mm

III DISTANCE

⊗ SINGLE

⊕ PUSH CONTROL

	RZ 1-850	RZ 2-1290	RZ 3-1640
Pushing force	137,4 kN	137,4 kN	137,4 kN
Pulling force	24 kN	24 kN	24 kN
Closed length	530 mm	750 mm	1100 mm
Piston stroke 1. st.	320 mm	540 mm	540 mm
Extended length	850 mm	1290 mm	1640 mm
EN class	R137-320-11,5	R137-540-16,2	R137-540-19,1
Weight	11,5 kg	16,2 kg	19,2 kg
Part no.	5933803	5933781	5933765

RZ 1-1810 CROSSRAMMER



Single stage rescue ram for working inside the vehicle cabin

- most suitable ram for severely deformed vehicle interior
- lightweight and handy due to the small-diameter ram body
- extreme final extended length of 1810 mm

III DISTANCE

⊗ SINGLE

⊕ PUSH CONTROL

Pushing force	36,4 kN
Closed length	990 mm
Piston stroke 1. stage	820 mm
Extended length	1810 mm
Weight	13,5 kg
Part no.	1077052

RZT 2-1170 E-FOR CE2



E FORCE



Compact rescue ram for working in most confined spaces

- extending to the final length of 600 mm without any interruption
- for use e.g. in footwells

III DISTANCE

CHARGE

Pushing force (1./2. stage)	
Closed length	189,0/99,0 kN
Piston stroke (1./2. stage)	540 mm
Extended length	360/270 mm
EN class	1170 mm
Weight	20,4 kg
Part no.	1088997

RZT 2-600 RC7



Compact rescue ram for working in most confined spaces

- extending to the final length of 600 mm without any interruption
- with remote control unit
- for use e.g. in footwells

III DISTANCE

SINGLE

PUSH CONTROL

Pushing force (1./2. stage)	189,4/99,0 kN
Closed length	300 mm
Piston stroke (1./2. stage)	165/135 mm
Extended length	600 mm
EN class	TR189/165-99/135-9,1
Weight	9,1 kg
Part no.	5936934

RZT 2-775



Compact rescue ram for working in the tightest of spaces

- extending to the final length of 775 mm without any interruption
- for use e.g. in footwells


III DISTANCE

SINGLE

PUSH CONTROL

Pushing force (1./2. stage)	189,4/99,0 kN
Closed length	395 mm
Piston stroke (1./2. stage)	210/170 mm
Extended length	775 mm
EN class	TR189/210-99/170-11,3
Weight	11,3 kg
Part no.	5931401

RZT 2-1170



Telescopic rescue ram with a compact retracted insertion size and an extreme extended length due to our multi-stage construction

- extending to the final length of 1170 mm without any interruption



DISTANCE



SINGLE



PUSH CONTROL

Pushing force (1./2. stage)	
Closed length	264,9/129,5/45,4 kN
Piston stroke (1./2. stage)	480 mm
Extended length	326/285/218 mm
EN class	1310 mm
Weight	17,0 kg
Part no.	5934133

RZT 2-1170 E-FORCE2



E FORCE



Telescopic battery-powered rescue ram with a compact retracted insertion size and an extreme extended length due to our multi-stage construction

- extending to the final length of 1170 mm without any interruption
- battery not included



DISTANCE



CHARGE

Pushing force (1./2. stage)	189,0/99,0 kN
Closed length	540 mm
Piston stroke (1./2. stage)	360/270 mm
Extended length	1170 mm
Weight (ready for use)	20,4 kg
Part no.	1088997

RZT 2-1360 E-FORCE2



E FORCE



Telescopic battery-powered rescue ram with a compact retracted insertion size and an extreme extended length due to our multi-stage construction

- extending to the final length of 1360 mm without any interruption
- battery not included




DISTANCE



CHARGE

Pushing force (1./2. stage)	108,0/62,0 kN
Closed length	586 mm
Piston stroke (1./2. stage)	428/372 kN
Extended length	1386 mm
Weight (ready for use)	20,1 kg
Part no.	1078342

RZT 2-1500



Telescopic rescue ram with a compact retracted insertion size and an extreme extended length due to our multi-stage construction

- extending to the final length of 1500 mm without any interruption

III DISTANCE

⊗ SINGLE

⚡ PUSH CONTROL

Pushing force (1./2. stage)	189,4/99,0 kN
Closed length	650 mm
Piston stroke (1./2. stage)	470/380 mm
Extended length	1500 mm
EN class	TR189/470-99/380-17,8
Weight	17,8 kg
Part no.	1050041

RZT 2-1500 E-FORCE2



E FORCE



Telescopic battery-powered rescue ram with a compact retracted insertion size and an extreme extended length due to our multi-stage construction

- extending to the final length of 1500 mm without any interruption
- battery not included

III DISTANCE

⚡ CHARGE

Pushing force (1./2. stage)	108,0/62,0 kN
Closed length	700 mm
Piston stroke (1./2. stage)	428/372 mm
Extended length	1500 mm
Weight (ready for use)	21,4 kg
Part no.	1081519

RZT 2-1500 XL



Extra-strong rescue ram for the highest demands

- extending to the final length of 1500 mm without any interruption
- weight-saving ram body made of high quality aluminium alloy

III DISTANCE

⊗ SINGLE

⚡ PUSH CONTROL

Pushing force (1./2. stage)	264,9/129,5 kN
Closed length	650 mm
Piston stroke (1./2. stage)	445/407 mm
Extended length	1500 mm
EN class	TR269/445-130/407-20,7
Weight	20,7 kg
Part no.	5932025

STANDARD POWER UNITS

- with petrol engines or electric motors
- equipped with a turbo function (TURBO-SPEED), which allows the work to be carried out at even higher speed and with greater dynamics
- a high oil volume (6.5 l) enables the simultaneous operation of all rescue tools in use
- control is implemented illuminated control button
- the double hose reel with ultra-high-pressure hoses and integrated retractor is available in different versions and lengths
- with integrated retractor
- the large peripheral carry handle and the directly integrated device holder make the standard power units user-friendly

E 70 W-SAH 20



TURBO-SPEED



SINGLE



COAX

High-performance electrical power unit

- E-motor 230 Volt, 50 Hz, 2 kW
- high operating speed due to high performance pump
- with twin or COAX hoses, available in different lengths

	E 70 W-SAH 20	E 70 W-SAH 20 COAX
Nominal pressure	700 bar	700 bar
Oil volume	6.5 l	6.5 l
Useable volume	6.0 l	6.0 l
EN class	ATO/MTO	ATO/MTO
Weight	74,2 kg	73,0 kg
Part no.	1078718	1069283



COMPACT AND BATTERY POWER UNITS

- small, lightweight and handy
- maximum power in most confined spaces
- fully functional even on extreme slopes (up to 30 degrees)
- ECO function, which means that automatic speed regulation ensures low-noise and economical operation
- battery-powered units have connection ports for two rechargeable batteries so that they can run for up to 10 hours in ECO mode
- all rescue equipment from WEBER RESCUE SYSTEMS (even large rescue rams) can be operated with these power units

V 400 S / V 400 ECO



Handy compact power unit with petrol engine

- 4-stroke petrol engine, 1,5 kW
- sturdy carry frame
- high output – quick work
- V 400 ECO with ECO mode for economical operation



COMPACT



SINGLE



ECO

	V 400 S	V 400 ECO
Nominal pressure	700 bar	700 bar
Oil volume	2,5 l	2,5 l
Useable volume	2,0 l	2,0 l
EN class	STO	STO
Weight	17,4 kg	17,5 kg
Part no.	5934753	5936853

V-ECOCOMPACT



Power unit with petrol engine

- 4-stroke petrol engine, 2,2 kW
- can be operated from either side, with turbo function or simultaneous operation of two devices (Turbo-Speed)
- very handy due to low weight
- sturdy carry frame



COMPACT



SINGLE



ECO



TURBO-SPEED

Nominal pressure	700 bar
Oil volume	3,8 l
Useable volume	3,6 l
EN class	ATO/MTO
Weight	23,7 kg
Part no.	1060793

V 40 S



COMPACT



SINGLE

Compact power unit with TURBO-SPEED function



- 4-stroke petrol engine

Nominal pressure	700 bar
Oil volume	4,0 l
Useable volume	3,8 l
Weight	32,1 kg
Part no.	1081842

TURBO-SHIFTING





Shift position 1:
Simultaneous operation



■ Without oil flow
■ Pressure oil
■ Without pressure

Shift position 2:
TURBO mode = double speed



■ Without oil flow
■ Pressure oil
■ Without pressure

AKKUPAC ECO



Extremely lightweight hydraulic power unit with backpack solution

- up to 10 hours running time in ECO mode
- wide and comfortable straps for secure fit
- optional second battery to double the operating time
- designed to operate all WEBER RESCUE equipment!
- batteries not included



Nominal pressure	700 bar
Oil volume	2,5 l
Useable volume	2,3 l
Weight (ready for use)	11,2 kg
Part no.	1081828

DPH 4018 S



Manual handpump mounted on a wooden board

- two-stage design
- can be used up to 20° independent of position
- oil volume 2,5 liters
- Single clutch

Nominal pressure	700 bar
Oil volume	2,5 l
Useable volume	1,8 l
Weight (ready for use)	10,2 kg
Part no.	1069440

ACCESSORIES

	Weight	Part no.		Weight	Part no.
Base support			Adapter for chain Set (2 pcs. required)		
Front	6,04 kg	1824333	for chain Set 571407	0,59 kg	3837300
Back	9,8 kg	1824341	for chain Set 2819139	0,8 kg	3847900
Sill support	12,33 kg	1085337	Accessory Set RZ 1, 2 und 3 (different pushing heads + storage box)	6,5 kg	1083316
Rim adapter Set back wheel (Base plate, 3 rim adapters and carrying case)	19,62 kg	2852144	Extensions		
Rim adapter Set back and front wheel (Base plate, 3 rim adapters, rim adapter front and carrying case)	30,7 kg	2854082	for RZT 2-600 and RZT 2-775	3,5 kg	3864588
Chain Set			Extension 250 mm	2,04 kg	1058482
for RZ 1-3 and SP 30/35/35 L	7,8 kg	571407	for RZ 1-850		
for RZ 1-3 and SP 43 L/49/60	13,8 kg	2819139	Extension 175 mm	2,55 kg	3838579
			Extension 250 mm	3,02 kg	1062442
			Extension 320 mm		

BATTERY ACCESSORIES



	Weight	Part no.
Spare battery 28 V 5,0 Ah by WEBER RESCUE MILWAUKEE	1,0 kg	1072893 1075189
Battery pouch for one battery (without belt)	0,2 kg	1056921
Belt for battery pouch	0,1 kg	1056920
On-vehicle charger (without plug)	1,0 kg	1060423
Power supply 110 V for 1 battery	0,8 kg	1054099
Power supply 230 V for 1 battery	0,8 kg	1054097
Permanent operation Power supply 230 V	4,0 kg	1060422
Permanent operation Power supply 110 V	5,0 kg	1060426
Transport bag E-FORCE for SPS 270 MK2, SPS 360 MK2, SPS 370 MK2, RSX 160, RSU 180 and SP 44 AS	1,8 kg	1058128
RIT Backpack E-FORCE for RIT-Tool, SPS 270 MK2, SPS 360 MK2, SPS 370 MK2 and SPS 400 MK2	0,4 kg	1080657



EXTENSION HOSES

 SINGLE
  COAX



Extension hoses, available as twin or coaxial (hose-in-hose system) hose versions

- ultra-high-pressure hoses, with SINGLE couplings on both ends
- oil-filled, vulcanised as a pair
- COAX hoses prevent the hose becoming twisted

Twin hoses

Length	Part no. yellow	Part no. red	Weight
5 m	2847647	2847639	4,3 kg
10 m	2847663	2847655	7,55 kg
15 m	2847680	2847671	9,5 kg
20 m	2847701	2847698	13,0 kg

COAX hoses

Length	Part no. yellow	Part no. red	Weight
5 m	1052602	1052605	3,31 kg
10 m	1052603	1052606	5,5 kg
15 m	1052604	1052607	7,69 kg
20 m	1053457	1053455	10,0 kg

ACCESSORIES



Replacement tips

	Part no.
SP 44 AS	1091176
SP 50 BS, SP 54 AS	1091849
SP 64 BS, SP 84 CS	1090484

Chain Sets

	Weight	Part no.
SP 44 AS	13,8 kg	2819139
SP 50 BS, SP 54 AS	13,8 kg	571415
SP 64 BS, SP 84 CS	14,54 kg	1095147

Consisting of: 2 pcs. chain lock, 2 pcs. pulling chain 1.8 m long with hooks. The length of chains can easily be adjusted through a button at the chain lock. There is no need to hook or unhook anymore.

ACCESSORIES

	Weight	Part no.		Weight	Part no.
Base support			Adapter for chain Set (2 pcs. required)		
Front	6,04 kg	1824333	for chain Set 571407		
Back	9,8 kg	1824341	for chain Set 2819139	0,59 kg	3837300
Sill support	12,33 kg	1085337	Accessory Set RZ 1, 2 und 3 (different pushing heads + storage box)	0,8 kg	3847900
Rim adapter Set back wheel (Base plate, 3 rim adapters and carrying case)	19,62 kg	2852144	Extensions		
Rim adapter Set back and front wheel (Base plate, 3 rim adapters, rim adapter front and carrying case)	30,7 kg	2854082	for RZT 2-600 and RZT 2-775 Extension 250 mm	3,5 kg	3864588
Chain Set			for RZ 1-850 Extension 175 mm	2,04 kg	1058482
for RZ 1-3 and SP 30/35/35 L	7,8 kg	571407	Extension 250 mm	2,55 kg	3838579
for RZ 1-3 and SP 43 L/49/60	13,8 kg	2819139	Extension 320 mm	3,02 kg	1062442

GLASS MANAGEMENT SET



All important tools for safe glass management with single-pane safety glass (ESG) and laminated glass (VSG) in a single Set in a carry case

- Glass-Ex, spring centre punch, lever (also available individually) and rescue cutter
- tape roller with adhesive tape and safety goggles
- 2 x rescue film (also available individually. Change after use)
- in carry case

Dimension case	600 x 400 x 132 mm
Weight	5,6 kg
Part no.	1080917

OCTOPUS AIRBAG PROTECTION



Pred ection against unintended triggering of the airbag

- sizes for all cars and trucks
- low weight

Car Driver in transport case

Dimension	400 x 300 x 132 mm
Weight	1,8 kg
Part no.	1083470

Car Passenger in transport case

Dimension	400 x 300 x 132 mm
Weight	4,0 kg
Part no.	1083471

Truck

Weight	0,75 kg
Part no.	8046204

TRUCK CAGE SAFETY SYSTEM



Secures the truck cab doors against uncontrolled falling

- Set includes pressure ratchet, lashing straps and various hooks
- includes standardised transport case

Dimension	600 x 400 x 132 mm
Weight	8,0 kg
Part no.	1083472

STAB-PACK



System for securely shoring up vehicles

- simple handling - more safety
- can be adapted to different shapes thanks to the two wedges
- safety due to large stand
- permissible load up to 7 kg/cm²
- also available as Set (4 pcs. STAB-PACK in Eurobox)

	STAB-PACK	STAB-PACK-SET
Dimension	270 x 180 x 310 mm	600 x 400 x 320 mm
Weight	8,6 kg	38,0 kg
Part no.	8044406	1052771

STAB-LOCK-SET



System for almost all practical stabilisation operations

- waterproof bonded beech plywood
- Lego-block principle
- compatible with STAB-PACK system

Set	Dimension	Weight	Part no.	Pcs. in Set
Eurobox	600 x 400 x 320	3,3 kg	1052769	1
Base plate 4 x 6	540 x 360 x 36 mm	4,9 kg	1051857	1
Wedge	230 x 90 x 60 mm	1,5 kg	1051858	4
Top 2 x 3	270 x 185 x 22 mm	1,3 kg	1052594	2
Top 2 x 3 s	270 x 185 x 22 mm	1,1 kg	1051856	2
4 square 2 x 3	270 x 185 x 95 mm	3,0 kg	1051846	1
4 square 2 x 6	540 x 185 x 95 mm	6,4 kg	1051847	1
4 square 1 x 3	270 x 95 x 95 mm	1,5 kg	1051852	1
4 square 1 x 3s	270 x 95 x 95 mm	1,4 kg	1051853	1
4 square 1 x 6	540 x 95 x 95 mm	3,1 kg	1051854	1
4 square 1 x 6s	540 x 95 x 95 mm	3,0 kg	1051855	1
Set no.	600 x 400 x 320 mm	30,5 kg	1052770	

GLASS-EX TURBO



For cutting laminated glass panes

- tool for quick removal of LSG (up to 10 mm thickness)
- fits on any cordless drill (10 mm 3-edged socket)
- very agile for cutting tight curves
- most of the glass is conveyed outwards – away from the patient
- due to short blade and the short stroke, cuts directly above the dashboard are also possible

Weight	0,9 kg
Part no.	1095126

PROTECTION SHIELDS



Optimum accessories for the protection of the patient

- adjustable hand loops – hands are protected
- two different sizes and shapes – versatile use
- transparent – equipment operator always has a good view of their working area
- flexible – can be bent around posts or pushed into narrow spaces

Overall weight	2,5 kg
Part no.	8136360

Consisting of:
 Triangle, flexible PVC with 2 yellow grabbing hangers
 Rectangle, flexible PVC with 3 yellow grabbing hangers
 Dimension 550 x 350 x 6 mm

GLASS-EX AND CENTRE PUNCH



Set of GLASS-EX plus centre punch

- to remove laminated windscreens (VSG)
- centre punch to remove single-pane safety glass (ESG)
- also available individually
- accessory: Replacement blade

	Weight	Part no.
Glass-Ex	1,5 kg	8114161
Centre punch	0,06 kg	8027676

ROUGH EDGE PROTECTIVE PAD SETS




Rough edge protective pad Set with ground sheet

- material: Cordura 200, inner lining Drenotex® polyester fleece
- outer material water-repellent and resistant to abrasion
- inner lining cut-proof
- washable, colour: Signal yellow

Dimension	500 x 700 x 95 mm
4 x column protection with 2 hook-and-loop tape	300 x 350 mm
2 x protection blankets, with 4 magnets	650 x 650 mm
1 x protection blanket, with 6 magnets	1650 x 650 mm
Weight	7,8 kg
Part no. (with groundsheet)	8135517
Part no. (without groundsheet)	8137455

ROUGH EDGE PROTECTIVE PAD SET UPGRADE




Rough edge protective pad Set including WEBER RESCUE clips

- material: Cordura 200, inner lining Drenotex® polyester fleece
- outer material water-repellent and resistant to abrasion
- inner lining cut-proof
- washable, colour: Signal yellow
- including 8 WEBER RESCUE clips for fixation

Dimension	700 x 500 x 160 mm
2 x column protection with 2 hook-and-loop tape	300 x 400 mm
2 x protection blankets, with 6 magnets	400 x 2000 mm
1 x protection blanket, with 6 magnets	1100 x 2100 mm
Weight	8,6 kg
Part no.	1078945

PAT-SAFE PATIENT PROTECTION PAD



Soft blanket to protect the patient from splinters, glass, dust

- ideal size for simultaneous protection of a patient and the rescue worker inside
- made from Cordura 200 with a replaceable Polyglas viewing window
- outer material water-repellent, resistant to tearing and abrading
- material can be washed at 40° Celsius. Color: Signal yellow
- packaged in transparent carry case

PAT-SAFE

Dimension	1600 x 2000 mm
Weight	1,5 kg
Part no.	1079078

Replacement window

Dimension	1000 x 2000 x 0,3 mm
Weight	0,6 kg
Part no.	1079079

HALLIGAN-TOOL



Ideal accessories for technical rescue

- available with metal cutting claw or leverage claw
- two lengths available - to enable flexible use
- many possible uses
- non-slip surface on the bar


Halligan-Tool with leverage claw

Length	770 mm	920 mm
Weight	4,5 kg	5,0 kg
Part no.	1089461	1089641

Halligan-Tool metal cutting claw

Length	770 mm	920 mm
Weight	4,5 kg	5,0 kg
Part no.	1089642	1089643

STRIKING TOOL (FIRE AXE)



Special striking tool for supplementing the Halligan tool during force d door opening

- can be used both as a wedge for holding open the gap created and for striking in the Halligan tool
- the axe can be struck very deeply into the material thanks to the extremely flat head
- cambered (rounded) impact surface for ideal transfer of force
- sturdy and extra-light fibreglass shaft

Dimension	930 x 220 x 40 mm
Weight	3,8 kg
Part no.	1081980

STAB-FIX SET BASIC




Flexible STAB-FIX system for stabilisation STAB-FIX in technical rescue

- durable and shatterproof
- oil- and chemical resistant
- maximum load capacity up to 110 kg/cm²
- made of recycled PE
- consisting of 2 chocks, 2 wedges, 2 different blocks
- including transport bag

STAB-PACK Set Basic	
Dimension bag	600 x 400 x 140 mm
Weight	28,420,5 kg
Part no.	8137676

STAB-FIX 4 SQUARE SET



Set made of recycled PE for various stabilisation

- durable and shatterproof
- oil- and chemical resistant
- maximum load capacity up to 110 kg/cm²
- nine PE-pieces in one Set
- including transport bag

STAB-FIX 4 square black	9 pieces
Dimension bag	300 x 300 x 450 mm
Weight	28,4 kg
Part no.	8139342

STAB-FAST ALU BASIC



Basic stabilisation

- two struts and hook knife
- including transport bag

Closed Length	1070 mm
Extended Length	1720 mm
Maximum load in longitudinal direction of strut	1500,0 kg
Length of strap	5000 mm
Dimensions	1100 x 300 x 120 mm
Weight	19,0 kg
Part no.	1078419

STAB-FAST ALU



Simple and versatile stabilisation system for every situation

- three struts, hook knife and wedge
- including two transport bags

Closed Length	1070 mm
Extended Length	1720 mm
Maximum load in longitudinal direction of strut	1500,0 kg
Length of strap	5000 mm
Dimensions	1100 x 300 x 120 mm
Weight	33,0 kg
Part no.	1078418

STAB-FAST ALU XL



XL version

- especially long strut for larger applications
- two struts and hook knife
- including transport bag

Closed Length	1500 mm
Extended Length	2500 mm
Maximum load in longitudinal direction of strut	2500,0 kg
Length of strap	10000 mm
Dimensions	1600 x 500 x 180 mm
Weight	30,0 kg
Part no.	1078420

TRAINING

Hydraulic rescue tools are versatile tools for the daily use under toughest conditions. To maintain and use our tools correctly it is essential to be trained properly. Therefore we offer not only a wide range of seminars for technical rescue but also courses to learn how to test and maintain our tools correctly.

Seminars for technical rescue

- extrication of injured persons
- modern vehicle technologies
- chain rescue operations

Courses for testing and maintenance

Contact: www.weber-rescue.com/en/kontakt/

TRAINING EVENT FOR TECHNICAL RESCUE

For more than 15 years the international rescueDAYS are the worlds largest training event for technical rescue operations and have been taking place once a year at different venues in Germany. WEBER RESCUE SYSTEMS also holds rescueDAYS throughout the world, including Japan, Brazil, Ukraine, Poland, Austria, Slovenia and Portugal.

New vehicle technologies and the numerous types of vehicles on our roads always presents new challenges for the fire services and rescue teams. In order to be prepared for those situations, it is necessary to be trained for different incidents and scenarios and to gain knowledge about the technology being used. The training courses covers the areas of car, truck and bus rescue. During rescueDAYS, the rescue personal can learn new techniques and can exchange experiences with their colleagues from all over the world.

For further information please visit: www.weber-rescue.com/rescue-days



WEBER-HYDRAULIK GMBH

Heilbronner Straße 30
74363 Güglingen, Germany
Phone +49 7135 71-10270

Emil Weber Platz 1
4460 Losenstein, Austria
Phone +43 7255 6237-120

info@weber-rescue.com
www.weber-rescue.com



WEBERRESCUE
SYSTEMS